


产品规格说明书


**SPECIFICATION FOR APPROVAL**

| Parameter | Spec      |
|-----------|-----------|
| 靶面尺寸      | 2/3"      |
| 放大率       | 1.0x      |
| 接口        | C 接口      |
| NA        | 0.045     |
| 工作距离      | 110mm     |
| 物方分辨率     | 7.4um     |
| 畸变        | <0.1 %    |
| 工作波长      | 450-650nm |
| 景深        | 0.88mm    |


**Lens Shape**



MTF



星点



SURFACE: IMA

SPOT DIAGRAM

TUE APR 23 2019 UNITS ARE  $\mu\text{M}$ . AIRY RADIUS : 7.397  $\mu\text{M}$

| FIELD        | 1     | 2     | 3     | 4     | 5     |
|--------------|-------|-------|-------|-------|-------|
| RMS RADIUS : | 2.775 | 2.828 | 2.866 | 2.889 | 3.012 |
| GED RADIUS : | 4.764 | 6.062 | 6.548 | 6.923 | 8.018 |
| SCALE BAR :  | 20    |       |       |       |       |

REFERENCE : CHIEF RAY

QUEDING20180706.ZMX  
 CONFIGURATION 1 OF 1

畸变

DISTORTION

+Y

